




METALIZED POLYPROPYLENE FILM CAPACITOR

TYPE MPX



Dimension (unit: mm)

Cap. (μF)	Rated Volt. (VAC)	L	H	T	P	dφ
0.0047	250/275	13.0	11.0	5.0	10.0	0.6
0.0056	250/275	13.0	11.0	5.0	10.0	0.6
0.0068	250/275	13.0	11.0	5.0	10.0	0.6
0.0082	250/275	13.0	11.0	5.0	10.0	0.6
0.01	250/275	13.0	11.0	5.0	10.0	0.6
0.01	250/275	18.0	11.0	5.0	15.0	0.8
0.012	250/275	18.0	11.0	5.0	15.0	0.8
0.015	250/275	18.0	11.0	5.0	15.0	0.8
0.018	250/275	18.0	11.0	5.0	15.0	0.8
0.022	250/275	18.0	11.0	5.0	15.0	0.8
0.027	250/275	18.0	11.0	5.0	15.0	0.8
0.033	250/275	18.0	11.0	5.0	15.0	0.8
0.039	250/275	18.0	11.0	5.0	15.0	0.8
0.047	250/275	18.0	11.0	5.0	15.0	0.8
0.056	250/275	18.0	11.0	5.0	15.0	0.8
0.068	250/275	18.0	11.0	5.0	15.0	0.8
0.082	250/275	18.0	12.0	6.0	15.0	0.8
0.1	250/275	18.0	12.0	6.0	15.0	0.8
0.12	250/275	18.0	13.5	7.5	15.0	0.8
0.15	250/275	18.0	14.5	8.5	15.0	0.8
0.22	250/275	18.0	16.0	10.0	15.0	0.8
0.22	250/275	26.5	16.5	7.0	22.5	0.8
0.27	250/275	26.5	17.0	8.5	22.5	0.8
0.33	250/275	26.5	17.0	8.5	22.5	0.8
0.39	250/275	26.5	19.0	10.0	22.5	0.8
0.47	250/275	26.5	19.0	10.0	22.5	0.8
0.47	250/275	32.0	20.0	11.0	27.5	0.8
0.56	250/275	32.0	20.0	11.0	27.5	0.8
0.68	250/275	32.0	20.0	11.0	27.5	0.8
0.82	250/275	32.0	22.0	13.0	27.5	0.8
1.0	250/275	32.0	22.0	13.0	27.5	0.8